









## **BENEFITS**

- Tightly closing steam lid enables to increase product size
- Digital heating control for accurate temperatures
- Integrated fermentation chamber with 8 rows
- Integrated 2 liter water tank for the fermentation chamber
- On castors (two of them are with brakes)
- Turning basket included
- 8 dumping trays included

## **TECHNICAL DATA**

Width:	49.2"
Working height:	29.5"
Depth:	32.7"
Weight:	approx. 276 lb
Voltage:	208-240 V/60 Hz/3-ph, Ground 208-240 V/60 Hz/1-ph, Ground
Max. connected load:	5.8-7.7 kW
Capacity:	approx. 4.5 gal





Specially designed for production of smaller quantities.

IDEAL FOR PRODUCTION IN SMALLER QUANTITIES. WITH THE INTEGRATED FERMENTATION CHAMBER AND THE 2-LITRE WATER TANK, THE MINI 20 CAN BE USED ALMOST EVERYWHERE.

## **OPTIONS**

- Flat frying basket
- Perforated frying basket with high rims
- Frying basket with high rims with a lid for submerged frying
- Manual or automatic depositor
- Exhaust hood

## WP Lebensmitteltechnik RIEHLE GmbH

Dr.-Rudolf-Schieber-Str. 15 D-73463 Westhausen (Germany) phone +49 7363 95390-0 info@riehle.de | www.wp-riehle.de

